

**Final Notice of Issuance, Reissuance, and Modification**  
**of Nationwide Permits**

*Summary and Sections A through C*

**Department of the Army**  
**Corps of Engineers**

**Federal Register Volume 61, Number 241, Part VII**

**Friday**  
**December 13, 1996**

---

Courtesy copy prepared by Environmental Technical Services Co., Austin, Texas. This is not an exact copy of the original FR publication. We have removed most of the sections pertaining to the rationale behind revisions made in the 1996 Nationwide Permits reissue. These may be referred to as the Preamble. Additional formatting has been made to produce a more readable document. pdf file Copyright © 1996 by Rusty Mase  
<http://www.wetlands.com/>

## Table of Contents

Cover Page	1
Table Of Contents	2
Summary	3
Nationwide Permits and Conditions	5
A. Index of the Nationwide Permits and Conditions	5
B. Nationwide Permits and Conditions	7
C. Nationwide Permit Conditions	22

## SUMMARY

The Corps of Engineers is reissuing the existing nationwide permits (NWP) and conditions, some with modifications, and issuing two new NWPs. As with all general permits, NWPs include specific project limitations which ensure that adverse effects will be no more than minimal and that the aquatic environment will be protected. At the same time, if a permit applicant can design a project in a way that meets the limitations of the NWP, the Corps will provide an expedited review and decision for the project. General permits, including NWPs, are an essential part of the Corps regulatory program, and provide us with the method we use to authorize 80% of the activities we regulate. An effective NWP program is essential to administration of the Corps regulatory program. The Corps, however, is increasingly aware of the concerns regarding the level of adverse effects being authorized by NWPs, particularly NWP 26. As a result, we have taken a critical look at the NWP program to better ensure that projects that truly have minimal impacts will continue to be authorized, while ensuring that only minimal individual and cumulative adverse effects will result from the Corps authorizing projects under the program. For example, we have made substantial changes to NWP 26, with an ultimate approach of more clearly defining the activities regulated through activity-specific replacement general permits. The interim changes to NWP 26 we have made will greatly increase environmental protection while increasing the review time for a relatively small percentage of the total number of activities authorized each year. We have also become increasingly aware of the concerns that NWPs, particularly NWP 26, need to be modified to reflect regional differences in aquatic ecosystem functions and values and to more effectively reflect the desire of the states to develop partnerships to protect the aquatic environment. We, therefore, have directed our districts to carefully review all of the NWPs, particularly NWP 26, to revoke applicable NWPs in high value aquatic ecosystems, and to add regional conditions to limit the applicability of the NWPs to ensure that no more than minimal adverse effects occur in each district. We are also directing the districts to work with the states to develop mutually agreeable conditions that will result in a greater level of state Section 401 water quality certifications being issued for the NWPs. We are directing our districts to develop local procedures with their counterparts in the U.S. Fish and Wildlife Service and National Marine Fisheries Service which will ensure that the Corps bases its "affect" and "jeopardy" decisions on the best available information. We are also initiating formal programmatic consultation under section 7 of the Endangered Species Act regarding the procedures associated with administering the NWP program. We believe that the changes described above, along with many others we have included in this reissuance of the NWPs,

will substantially increase protection of the aquatic environment, ensure that no more than minimal adverse effects will occur, and maintain the regulatory flexibility necessary to administer a reasonable regulatory program.

EFFECTIVE DATE: February 11, 1997.

ADDRESS: Information can be obtained by writing to: Office of the Chief of Engineers, ATTN: CECW-OR, 20 Massachusetts Avenue NW., Washington, DC 20314-1000.

FOR FURTHER INFORMATION: Contact Mr. Sam Collinson or Mr. John Studt, at (202) 761-0199 or access the U.S. Army Corps of Engineers Regulatory Home Page at: <http://wetland.usace.mil/>

## Nationwide Permits and Conditions

### A. Index of the Nationwide Permits and Conditions

#### Nationwide Permits

1. Aids to Navigation
2. Structures in Artificial Canals
3. Maintenance
4. Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities
5. Scientific Measurement Devices
6. Survey Activities
7. Outfall Structures
8. Oil and Gas Structures
9. Structures in Fleeting and Anchorage Areas
10. Mooring Buoys
11. Temporary Recreational Structures
12. Utility Line Discharges
13. Bank Stabilization
14. Road Crossings
15. U.S. Coast Guard Approved Bridges
16. Return Water from Upland Contained Disposal Areas
17. Hydropower Projects
18. Minor Discharges
19. Minor Dredging
20. Oil Spill Cleanup
21. Surface Coal Mining Activities
22. Removal of Vessels
23. Approved Categorical Exclusions
24. State Administered Section 404 Programs
25. Structural Discharges
26. Headwaters and Isolated Waters Discharges
27. Wetland and Riparian Restoration and Creation Activities
28. Modifications of Existing Marinas
29. Single-Family Housing
30. Moist Soil Management for Wildlife
31. Maintenance of Existing Flood Control Projects
32. Completed Enforcement Actions
33. Temporary Construction, Access and Dewatering
34. Cranberry Production Activities
35. Maintenance Dredging of Existing Basins
36. Boat Ramps

37. Emergency Watershed Protection and Rehabilitation
38. Cleanup of Hazardous and Toxic Waste
39. Reserved
40. Farm Buildings

## **Nationwide Permit Conditions**

### **General Conditions:**

1. Navigation
2. Proper Maintenance
3. Erosion and Siltation Controls
4. Aquatic Life Movements
5. Equipment
6. Regional and Case-by-Case Conditions
7. Wild and Scenic Rivers
8. Tribal Rights
9. Water Quality Certification
10. Coastal Zone Management
11. Endangered Species
12. Historic Properties
13. Notification
14. Compliance Certification
15. Multiple Use of Nationwide Permits.

### **Section 404 Only Conditions**

1. Water Supply Intakes
2. Shellfish Production
3. Suitable Material
4. Mitigation
5. Spawning Areas
6. Obstruction of High Flows
7. Adverse Effects from Impoundments
8. Waterfowl Breeding Areas
9. Removal of Temporary Fills

## **B. Nationwide Permits and Conditions**

**1. Aids to Navigation :** The placement of aids to navigation and regulatory markers which are approved by and installed in accordance with the requirements of the U.S. Coast Guard. (See 33 CFR part 66, chapter I, subchapter C). (Section 10)

**2. Structures in Artificial Canals :** Structures constructed in artificial canals within principally residential developments where the connection of the canal to a navigable water of the United States has been previously authorized (see 33 CFR 322.5(g)). (Section 10)

**3. Maintenance:** The repair, rehabilitation, or replacement of any previously authorized, currently serviceable, structure or fill, or of any currently serviceable structure or fill authorized by 33 CFR 330.3, provided that the structure or fill is not to be put to uses differing from those uses specified or contemplated for it in the original permit or the most recently authorized modification. Minor deviations in the structure's configuration or filled area including those due to changes in materials, construction techniques, or current construction codes or safety standards which are necessary to make repair, rehabilitation, or replacement are permitted, provided the environmental effects resulting from such repair, rehabilitation, or replacement are minimal. Currently serviceable means useable as is or with some maintenance, but not so degraded as to essentially require reconstruction. This NWP authorizes the repair, rehabilitation, or replacement of those structures destroyed by storms, floods, fire or other discrete events, provided the repair, rehabilitation, or replacement is commenced or under contract to commence within two years of the date of their destruction or damage. In cases of catastrophic events, such as hurricanes or tornadoes, this two-year limit may be waived by the District Engineer, provided the permittee can demonstrate funding, contract, or other similar delays. Maintenance dredging and beach restoration are not authorized by this NWP. (Sections 10 and 404)

**4. Fish and Wildlife Harvesting , Enhancement, and Attraction Devices and Activities:** Fish and wildlife harvesting devices and activities such as pound nets, crab traps, crab dredging, eel pots, lobster traps, duck blinds, clam and oyster digging; and small fish attraction devices such as open water fish concentrators (sea kites, etc.). This NWP authorizes shellfish seeding provided this activity does not occur in wetlands or sites that support submerged aquatic vegetation (including sites where submerged aquatic vegetation is documented to exist, but may not be present in a given year.). This NWP does not authorize artificial reefs or impoundments and semi-impoundments of waters of the United States for the culture or holding of motile species such as lobster, or the use of covered oyster trays or clam racks. (Sections 10 and 404)

**5. Scientific Measurement Devices :** Devices whose purpose is to measure and record scientific data such as staff gages, tide gages, water recording devices, water quality testing and improvement devices and similar structures. Small weirs and flumes constructed primarily to record water quantity and velocity are also authorized provided the discharge is limited to 25 cubic yards and further for discharges of 10 to 25 cubic yards provided the permittee notifies the District Engineer in accordance with the "Notification" general condition. (Sections 10 and 404)

**6. Survey Activities:** Survey activities including core sampling, seismic exploratory operations, plugging of seismic shot holes and other exploratory-type bore holes, soil survey and sampling, and historic resources surveys. Discharges and structures associated with the recovery of historic resources are not authorized by this NWP. Drilling and the discharge of excavated material from test wells for oil and gas exploration is not authorized by this NWP; the plugging of such wells is authorized. Fill placed for roads, pads and other similar activities is not authorized by this NWP. The NWP does not authorize any permanent structures. The discharge of drilling muds and cuttings may require a permit under section 402 of the Clean Water Act. (Sections 10 and 404)

**7. Outfall Structures .** Activities related to construction of outfall structures and associated intake structures where the effluent from the outfall is authorized, conditionally authorized, or specifically exempted, or are otherwise in compliance with regulations issued under the National Pollutant discharge Elimination System program (Section 402 of the Clean Water Act), provided that the permittee notifies the District Engineer in accordance with the "Notification" general condition. (Also see 33 CFR 330.1(e)). Intake structures per se are not included--only those directly associated with an outfall structure. (Sections 10 and 404)

**8. Oil and Gas Structures .** Structures for the exploration, production, and transportation of oil, gas, and minerals on the outer continental shelf within areas leased for such purposes by the Department of the Interior, Minerals Management Service. Such structures shall not be placed within the limits of any designated shipping safety fairway or traffic separation scheme, except temporary anchors that comply with the fairway regulations in 33 CFR 322.5(l). (Where such limits have not been designated, or where changes are anticipated, District Engineers will consider asserting discretionary authority in accordance with 33 CFR 330.4(e) and will also review such proposals to ensure they comply with the provisions of the fairway regulations in 33 CFR 322.5(l). Any Corps review under this permit will be limited to the effects on navigation and national security in accordance with 33 CFR 322.5(f)). Such structures will not be placed in established danger zones or restricted areas as

designated in 33 CFR part 334: nor will such structures be permitted in EPA or Corps designated dredged material disposal areas. (Section 10)

**9. Structures in Fleeting and Anchorage Areas** . Structures, buoys, floats and other devices placed within anchorage or fleeting areas to facilitate moorage of vessels where such areas have been established for that purpose by the U.S. Coast Guard. (Section 10)

**10. Mooring Buoys** . Non-commercial, single-boat, mooring buoys. (Section 10)

**11. Temporary Recreational Structures** . Temporary buoys, markers, small floating docks, and similar structures placed for recreational use during specific events such as water skiing competitions and boat races or seasonal use provided that such structures are removed within 30 days after use has been discontinued. At Corps of Engineers reservoirs, the reservoir manager must approve each buoy or marker individually. (Section 10)

**12. Utility Line Discharges** . Discharges of dredged or fill material associated with excavation, backfill or bedding for utility lines, including outfall and intake structures, provided there is no change in preconstruction contours. A "utility line" is defined as any pipe or pipeline for the transportation of any gaseous, liquid, liquefiable, or slurry substance, for any purpose, and any cable, line, or wire for the transmission for any purpose of electrical energy, telephone and telegraph messages, and radio and television communication. The term "utility line" does not include activities which drain a water of the United States, such as drainage tile; however, it does apply to pipes conveying drainage from another area. This NWP authorizes mechanized landclearing necessary for the installation of utility lines, including overhead utility lines, provided the cleared area is kept to the minimum necessary and preconstruction contours are maintained. However, access roads, temporary or permanent, or foundations associated with overhead utility lines are not authorized by this NWP. Material resulting from trench excavation may be temporarily sidecast (up to three months) into waters of the United States, provided that the material is not placed in such a manner that it is dispersed by currents or other forces. The DE may extend the period of temporary side-casting not to exceed a total of 180 days, where appropriate. The area of waters of the United States that is disturbed must be limited to the minimum necessary to construct the utility line. In wetlands, the top 6" to 12" of the trench should generally be backfilled with topsoil from the trench. Excess material must be removed to upland areas immediately upon completion of construction. Any exposed slopes and stream banks must be stabilized immediately upon completion of the utility line. (See 33 CFR part 322).

Notification: The permittee must notify the district engineer in accordance with the "Notification" general condition, if any of the following criteria are met:

- (a) Mechanized landclearing in a forested wetland;

- (b) A Section 10 permit is required for the utility line;
- (c) The utility line in waters of the United States exceeds 500 feet; or,
- (d) The utility line is placed within a jurisdictional area (i.e., a water of the United States), and it runs parallel to a streambed that is within that jurisdictional area. (Sections 10 and 404)

**13. Bank Stabilization** . Bank stabilization activities necessary for erosion prevention provided the activity meets all of the following criteria:

- a. No material is placed in excess of the minimum needed for erosion protection;
- b. The bank stabilization activity is less than 500 feet in length;
- c. The activity will not exceed an average of one cubic yard per running foot placed along the bank below the plane of the ordinary high water mark or the high tide line;
- d. No material is placed in any special aquatic site, including wetlands;
- e. No material is of the type, or is placed in any location, or in any manner, so as to impair surface water flow into or out of any wetland area;
- f. No material is placed in a manner that will be eroded by normal or expected high flows (properly anchored trees and treetops may be used in low energy areas); and,
- g. The activity is part of a single and complete project.

Bank stabilization activities in excess of 500 feet in length or greater than an average of one cubic yard per running foot may be authorized if the permittee notifies the District Engineer in accordance with the "Notification" general condition and the District Engineer determines the activity complies with the other terms and conditions of the NWP and the adverse environmental effects are minimal both individually and cumulatively. This NWP may not be used for the channelization of a water of the United States. (Sections 10 and 404)

**14. Road Crossings** . Fills for roads crossing waters of the United States (including wetlands and other special aquatic sites) provided the activity meets all of the following criteria:

- a. The width of the fill is limited to the minimum necessary for the actual crossing;
- b. The fill placed in waters of the United States is limited to a filled area of no more than 1/3 acre. Furthermore, no more than a total of 200 linear feet of the fill for the roadway can occur in special aquatic sites, including wetlands;
- c. The crossing is culverted, bridged or otherwise designed to prevent the restriction of, and to withstand, expected high flows and tidal flows, and to prevent the restriction of low flows and the movement of aquatic organisms;

d. The crossing, including all attendant features, both temporary and permanent, is part of a single and complete project for crossing of a water of the United States; and,

e. For fills in special aquatic sites, including wetlands, the permittee notifies the District Engineer in accordance with the "Notification" general condition. The notification must also include a delineation of affected special aquatic sites, including wetlands.

This NWP may not be combined with NWP 18 or NWP 26 for the purpose of increasing the footprint of the road crossing. Some road fills may be eligible for an exemption from the need for a Section 404 permit altogether (see 33 CFR 323.4). Also, where local circumstances indicate the need, District Engineers will define the term "expected high flows" for the purpose of establishing applicability of this NWP. (Sections 10 and 404)

**15. U.S. Coast Guard Approved Bridges** . Discharges of dredged or fill material incidental to the construction of bridges across navigable waters of the United States, including cofferdams, abutments, foundation seals, piers, and temporary construction and access fills provided such discharges have been authorized by the U.S. Coast Guard as part of the bridge permit. Causeways and approach fills are not included in this NWP and will require an individual or regional Section 404 permit. (Section 404)

**16. Return Water From Upland Contained Disposal Areas** . Return water from an upland, contained dredged material disposal area. The dredging itself may require a section 404 permit (33 CFR 323.2(d)), but will require a Section 10 permit if located in navigable waters of the United States. The return water from a contained disposal area is administratively defined as a discharge of dredged material by 33 CFR 323.2(d) even though the disposal itself occurs on the upland and thus does not require a Section 404 permit. This NWP satisfies the technical requirement for a Section 404 permit for the return water where the quality of the return water is controlled by the state through the Section 401 certification procedures. (Section 404)

**17. Hydropower Projects.** Discharges of dredged or fill material associated with (a) small hydropower projects at existing reservoirs where the project, which includes the fill, are licensed by the Federal Energy Regulatory Commission (FERC) under the Federal Power Act of 1920, as amended; and has a total generating capacity of not more than 5000 KW; and the permittee notifies the District Engineer in accordance with the "Notification" general condition; or (b) hydropower projects for which the FERC has granted an exemption from licensing pursuant to section 408 of the Energy Security Act of 1980 (16 U.S.C. 2705 and 2708) and section 30 of the Federal Power Act, as amended; provided the permittee notifies the District Engineer in accordance with the "Notification" general condition. (Section 404)

**18. Minor Discharges.** Minor discharges of dredged or fill material into all waters of the United States provided that the activity meets all of the following criteria:

- a. The quantity of discharged material and the volume of excavated area does not exceed 25 cubic yards below the plane of the ordinary high water mark or the high tide line;
- b. The discharge, including any excavated area, will not cause the loss of more than 1/10 acre of a special aquatic site, including wetlands. For the purposes of this NWP, the acreage limitation includes the filled area and excavated area plus special aquatic sites that are adversely affected by flooding and special aquatic sites that are drained so that they would no longer be a water of the United States as a result of the project;
- c. If the discharge, including any excavated area, exceeds 10 cubic yards below the plane of the ordinary high water mark or the high tide line or if the discharge is in a special aquatic site, including wetlands, the permittee notifies the District Engineer in accordance with the "Notification" general condition. For discharges in special aquatic sites, including wetlands, the notification must also include a delineation of affected special aquatic sites, including wetlands (Also see 33 CFR 330.1(e)); and
- d. The discharge, including all attendant features, both temporary and permanent, is part of a single and complete project and is not placed for the purpose of a stream diversion.
- e. This NWP can not be used in conjunction with NWP 26 for any single and complete project. (Sections 10 and 404)

**19. Minor Dredging.** Dredging of no more than 25 cubic yards below the plane of the ordinary high water mark or the mean high water mark from navigable waters of the United States (i.e., section 10 waters) as part of a single and complete project. This NWP does not authorize the dredging or degradation through siltation of coral reefs, sites that support submerged aquatic vegetation (including sites where submerged aquatic vegetation is documented to exist, but may not be present in a given year), anadromous fish spawning areas, or wetlands, or the connection of canals or other artificial waterways to navigable waters of the United States (see 33 CFR 322.5(g)). (Sections 10 and 404)

**20. Oil Spill Cleanup.** Activities required for the containment and cleanup of oil and hazardous substances which are subject to the National Oil and Hazardous Substances Pollution Contingency Plan (40 CFR part 300) provided that the work is done in accordance with the Spill Control and Countermeasure Plan required by 40 CFR part 112.3 and any existing State contingency plan and provided that the Regional Response Team (if one exists in the area) concurs with the proposed containment and cleanup action. (Sections 10 and 404)

**21. Surface Coal Mining Activities.** Activities associated with surface coal mining activities provided they are authorized by the Department of the Interior, Office of Surface Mining (OSM), or by states with approved programs under Title V of the Surface Mining Control and Reclamation Act of 1977 and provided the permittee notifies the District Engineer in accordance with the "Notification" general condition. The notification must include an OSM or state approved mitigation plan. The Corps, at the discretion of the District Engineer, may require a bond to ensure success of the mitigation, if no other Federal or state agency has required one. For discharges in special aquatic sites, including wetlands, the notification must also include a delineation of affected special aquatic sites, including wetlands. (Also see 33 CFR 330.1(e)) (Sections 10 and 404)

**22. Removal of Vessels,** Temporary structures or minor discharges of dredged or fill material required for the removal of wrecked, abandoned, or disabled vessels, or the removal of man-made obstructions to navigation. This NWP does not authorize the removal of vessels listed or determined eligible for listing on the National Register of Historic Places unless the District Engineer is notified and indicates that there is compliance with the "Historic Properties" general condition. This NWP does not authorize maintenance dredging, shoal removal, or river bank snagging. Vessel disposal in waters of the United States may need a permit from EPA (see 40 CFR 229.3). (Sections 10 and 404)

**23. Approved Categorical Exclusions.** Activities undertaken, assisted, authorized, regulated, funded, or financed, in whole or in part, by another Federal agency or department where that agency or department has determined, pursuant to the Council on Environmental Quality Regulation for Implementing the Procedural Provisions of the National Environmental Policy Act (40 CFR part 1500 et seq.), that the activity, work, or discharge is categorically excluded from environmental documentation because it is included within a category of actions which neither individually nor cumulatively have a significant effect on the human environment, and the Office of the Chief of Engineers (ATTN: CECW-OR) has been furnished notice of the agency's or department's application for the categorical exclusion and concurs with that determination. Prior to approval for purposes of this NWP of any agency's categorical exclusions, the Chief of Engineers will solicit public comment. In addressing these comments, the Chief of Engineers may require certain conditions for authorization of an agency's categorical exclusions under this NWP. (Sections 10 and 404)

**24. State Administered Section 404 Program .** Any activity permitted by a state administering its own section 404 permit program pursuant to 33 U.S.C. 1344(g)-(l) is permitted pursuant to section 10 of the Rivers and Harbors Act of 1899. Those activities which do not involve a section 404 state permit are not included in this NWP, but certain

structures will be exempted by section 154 of Pub. L. 94-587, 90 Stat. 2917 (33 U.S.C. 591) (see 33 CFR 322.3(a)(2)). (Section 10)

**25. Structural Discharges.** Discharges of material such as concrete, sand, rock, etc. into tightly sealed forms or cells where the material will be used as a structural member for standard pile supported structures, such as bridges, transmission line footings, and walkways or for general navigation, such as mooring cells, including the excavation of bottom material from within the form prior to the discharge of concrete, sand, rock, etc. This NWP does not authorize filled structural members that would support buildings, homes, parking areas, storage areas and other such structures. Housepads or other building pads are also not included in this NWP. The structure itself may require a section 10 permit if located in navigable waters of the United States. (Section 404)

**26. Headwaters and Isolated Waters Discharges** Discharges of dredged or fill material into headwaters and isolated waters provided that the activity meets all of the following criteria:

a. The discharge does not cause the loss of more than 3 acres of waters of the United States nor cause the loss of waters of the United States for a distance greater than 500 linear feet of the stream bed;

b. For discharges causing the loss of greater than 1/3 acre of waters of the United States, the permittee notifies the District Engineer in accordance with the "Notification" general condition;

c. For discharges causing a loss of 1/3 acre or less of waters of the United States the permittee must submit a report within 30 days of completion of the work, containing the information listed below;

d. For discharges in special aquatic sites, including wetlands, the notification must also include a delineation of affected special aquatic sites, including wetlands (Also see 33 CFR 330.1(e)); and

e. The discharge, including all attendant features, both temporary and permanent, is part of a single and complete project. Note, this NWP will expire on February 11, 1999.

For the purposes of this NWP, the acreage of loss of waters of the United States includes the filled area plus waters of the United States that are adversely affected by flooding, excavation or drainage as a result of the project. The 3 acre and 1/3 acre limits of NWP 26 are absolute, and cannot be increased by any mitigation plan offered by the applicant or required by the District Engineer. Whenever any other NWP is used in conjunction with this NWP, the total acreage of impacts to waters of the United States of all NWPs combined, can not exceed 3 acres.

Subdivisions: For any real estate subdivision created or subdivided after October 5, 1984, a notification pursuant to subsection (b) of this NWP is required for any discharge which would cause the aggregate total loss of waters of the United States for the entire subdivision to exceed 1/3 acre. Any discharge in any real estate subdivision which would cause the aggregate total loss of waters of the United States in the subdivision to exceed 3 acres is not authorized by this NWP; unless the District Engineer exempts a particular subdivision or parcel by making a written determination that: (1) The individual and cumulative adverse environmental effects would be minimal and the property owner had, after October 5, 1984, but prior to February 11, 1997, committed substantial resources in reliance on NWP 26 with regard to a subdivision, in circumstances where it would be inequitable to frustrate the property owner's investment-backed expectations, or (2) that the individual and cumulative adverse environmental effects would be minimal, high quality wetlands would not be adversely affected, and there would be an overall benefit to the aquatic environment. Once the exemption is established for a subdivision, subsequent lot development by individual property owners may proceed using NWP 26. For purposes of NWP 26, the term "real estate subdivision" shall be interpreted to include circumstances where a landowner or developer divides a tract of land into smaller parcels for the purpose of selling, conveying, transferring, leasing, or developing said parcels. This would include the entire area of a residential, commercial or other real estate subdivision, including all parcels and parts thereof.

Report: For discharges causing the loss of 1/3 acre or less of waters of the United States the permittee must submit a report within 30 days of completion of the work, containing the following information:

- (a) Name, address, and telephone number of the permittee;
- (b) Location of the work;
- (c) Description of the work; and,
- (d) Type and acreage (or square feet) of the loss of waters of the United States (e.g., 1/10 acre of marsh and 50 Square feet of a stream.) (Section 404)

**27. Wetland and Riparian Restoration and Creation Activities** . Activities in waters of the United States associated with the restoration of former non-tidal wetlands and riparian areas, the enhancement of degraded wetlands and riparian areas, and creation of wetlands and riparian areas; (i) On non-Federal public lands and private lands, in accordance with the terms and conditions of a binding wetland restoration or creation agreement between the landowner and the U.S. Fish and Wildlife Service or the Natural Resources Conservation Service (NRCS) or voluntary wetland restoration, enhancement, and creation actions documented by the NRCS pursuant to NRCS regulations; or (ii) on any Federal land; or (iii)

on reclaimed surface coal mined lands, in accordance with a Surface Mining Control and Reclamation Act permit issued by the Office of Surface Mining or the applicable state agency. (The future reversion does not apply to wetlands created, restored or enhanced as mitigation for the mining impacts, nor naturally due to hydrologic or topographic features, nor for a mitigation bank.); or (iv) on any public or private land, provided the permittee notifies the District Engineer in accordance with the "Notification" general condition.

Such activities include, but are not limited to: Installation and maintenance of small water control structures, dikes, and berms; backfilling of existing drainage ditches; removal of existing drainage structures; construction of small nesting islands; plowing or discing for seed bed preparation; and other related activities. This NWP applies to restoration projects that serve the purpose of restoring "natural" wetland hydrology, vegetation, and function to altered and degraded non-tidal wetlands and "natural" functions of riparian areas. This NWP does not authorize the conversion of natural wetlands to another aquatic use, such as creation of waterfowl impoundments where a forested wetland previously existed.

Reversion: For restoration, enhancement and creation projects conducted under paragraphs (ii) and (iv), this NWP does not authorize any future discharge of dredged or fill material associated with the reversion of the area to its prior condition. In such cases a separate permit at that time would be required for any reversion. For restoration, enhancement and creation projects conducted under paragraphs (i) and (iii), this NWP also authorizes any future discharge of dredged or fill material associated with the reversion of the area to its documented prior condition and use (i.e., prior to the restoration, enhancement, or creation activities) within five years after expiration of a limited term wetland restoration or creation agreement or permit, even if the discharge occurs after this NWP expires. The five year reversion limit does not apply to agreements without time limits reached under paragraph (i). The prior condition will be documented in the original agreement or permit, and the determination of return to prior conditions will be made by the Federal agency or appropriate state agency executing the agreement or permit. Prior to any reversion activity the permittee or the appropriate Federal or state agency must notify the District Engineer and include the documentation of the prior condition. Once an area has reverted back to its prior physical condition, it will be subject to whatever the Corps regulatory requirements will be at that future date. (Sections 10 and 404)

**28. Modifications of Existing Marinas.** Reconfiguration of existing docking facilities within an authorized marina area. No dredging, additional slips or dock spaces, or expansion of any kind within waters of the United States is authorized by this NWP. (Section 10)

**29. Single-Family Housing .** Discharges of dredged or fill material into non-tidal waters of the United States, including non-tidal wetlands for the construction or expansion of a single-family home and attendant features (such as a garage, driveway, storage shed, and/or septic field) for an individual permittee provided that the activity meets all of the following criteria:

- a. The discharge does not cause the loss of more than 1/2 acre of non-tidal waters of the United States, including non-tidal wetlands;
- b. The permittee notifies the District Engineer in accordance with the "Notification" general condition;
- c. The permittee has taken all practicable actions to minimize the on-site and off-site impacts of the discharge. For example, the location of the home may need to be adjusted on-site to avoid flooding of adjacent property owners;
- d. The discharge is part of a single and complete project; furthermore, that for any subdivision created on or after November 22, 1991, the discharges authorized under this NWP may not exceed an aggregate total loss of waters of the United States of 1/2 acre for the entire subdivision;
- e. An individual may use this NWP only for a single-family home for a personal residence;
- f. This NWP may be used only once per parcel;
- g. This NWP may not be used in conjunction with NWP 14, NWP 18, or NWP 26, for any parcel; and,
- h. Sufficient vegetated buffers must be maintained adjacent to all open water bodies, streams, etc., to preclude water quality degradation due to erosion and sedimentation.

For the purposes of this NWP, the acreage of loss of waters of the United States includes the filled area previously permitted, the proposed filled area, and any other waters of the United States that are adversely affected by flooding, excavation, or drainage as a result of the project. Whenever any other NWP is used in conjunction with this NWP, the total acreage of impacts to waters of the United States of all NWPs combined, can not exceed 1/2 acres. This NWP authorizes activities only by individuals; for this purpose, the term "individual" refers to a natural person and/or a married couple, but does not include a corporation, partnership, or similar entity. For the purposes of this NWP, a parcel of land is defined as "the entire contiguous quantity of land in possession of, recorded as property of, or owned (in any form of ownership, including land owned as a partner, corporation, joint tenant, etc.) by the same individual (and/or that individual's spouse), and comprises not only the area of wetlands sought to be filled, but also all land contiguous to those wetlands, owned

by the individual (and/or that individual's spouse) in any form of ownership". (Sections 10 and 404)

**30. Moist Soil Management for Wildlife** . Discharges of dredged or fill material and maintenance activities that are associated with moist soil management for wildlife performed on non-tidal Federally-owned or managed and State-owned or managed property, for the purpose of continuing ongoing, site-specific, wildlife management activities where soil manipulation is used to manage habitat and feeding areas for wildlife. Such activities include, but are not limited to: The repair, maintenance or replacement of existing water control structures; the repair or maintenance of dikes; and plowing or discing to impede succession, prepare seed beds, or establish fire breaks. Sufficient vegetated buffers must be maintained adjacent to all open water bodies, streams, etc., to preclude water quality degradation due to erosion and sedimentation. This NWP does not authorize the construction of new dikes, roads, water control structures, etc. associated with the management areas. This NWP does not authorize converting wetlands to uplands, impoundments or other open water bodies. (Section 404)

**31. Maintenance of Existing Flood Control Facilities** . Discharges of dredged or fill material for the maintenance of existing flood control facilities, including debris basins, retention/detention basins, and channels that were (i) previously authorized by the Corps by individual permit, general permit, or by 33 CFR 330.3 and constructed or (ii) constructed by the Corps and transferred to a local sponsor for operation and maintenance. The maintenance is limited to that approved in a maintenance baseline determination made by the district engineer (DE). The prospective permittee will provide the DE with sufficient evidence for the DE to determine the approved and constructed baseline. Subsequent to the determination of the maintenance baseline and prior to any maintenance work, the permittee must notify the DE in accordance with the "Notification" general condition.

All dredged material must be placed in an upland site or a currently authorized disposal site in waters of the United States, and proper siltation controls must be used. This NWP does not authorize the removal of sediment and associated vegetation from natural water courses. (Activities that involve only the cutting and removing of vegetation above the ground, e.g., mowing, rotary cutting, and chainsawing, where the activity neither substantially disturbs the root system nor involves mechanized pushing, dragging, or other similar activities that redeposit excavated soil material, does not require a Section 404 permit in accordance with 33 CFR 323.2(d)(2)(ii)). Only constructed channels within stretches of natural rivers that have been previously authorized as part of a flood control facility could be authorized for maintenance under this NWP.

**Maintenance Baseline:** Upon receipt of sufficient evidence, the DE will determine the maintenance baseline. The maintenance baseline is the existing flood control project that the DE has determined can be maintained under this NWP, subject to any case-specific conditions required by the DE. In determining the maintenance baseline, the DE will consider the following factors: The approved facility, the actual constructed facility, the Corps constructed project that was transferred, the maintenance history, if the facility has been functioning at a reduced capacity and for how long, present vs. original flood control needs, and if sensitive/unique functions and values may be adversely affected. Revocation or modification of the final determination of the maintenance baseline can only be done in accordance with 33 CFR 330.5. This NWP can not be used until the DE determines the maintenance baseline and the need for mitigation and any regional or activity-specific conditions. The maintenance baseline will only be determined once and will remain valid for any subsequent reissuance of this NWP. However, if the project is effectively abandoned or reduced due to lack of proper maintenance, a new determination of a maintenance baseline would be required before this NWP could be used for subsequent maintenance.

**Mitigation:** In determining the need for mitigation, the DE will consider the following factors: Any original mitigation required, the current environmental setting, and any adverse effects of the maintenance project that were not mitigated in the original construction. The DE will not delay needed maintenance for completion of any required mitigation, provided that the DE and the applicant establish a schedule for the identification, approval, development, construction and completion of such required mitigation. (Sections 10 and 404)

**32. Completed Enforcement Actions .** Any structure, work or discharge of dredged or fill material, remaining in place, or undertaken for mitigation, restoration, or environmental benefit in compliance with either:

(i) The terms of a final written Corps non-judicial settlement agreement resolving a violation of section 404 of the Clean Water Act (CWA) and/or section 10 of the Rivers and Harbors Act of 1899; or the terms of an EPA 309(a) order on consent resolving a violation of section 404 of the CWA, provided that:

a. The unauthorized activity affected no more than 5 acres of nontidal wetlands or 1 acre of tidal wetlands;

b. The settlement agreement provides for environmental benefits, to an equal or greater degree, than the environmental detriments caused by the unauthorized activity that is authorized by this nationwide permit; and

c. The District Engineer issues a verification letter authorizing the activity subject to the terms and conditions of this nationwide permit and the settlement agreement, including a specified completion date; or

(ii) The terms of a final Federal court decision, consent decree, or settlement agreement resulting from an enforcement action brought by the United States under section 404 of the CWA and/or section 10 of the Rivers and Harbors Act of 1899.

For both (i) or (ii) above, compliance is a condition of the NWP itself. Any authorization under this NWP is automatically revoked if the permittee does not comply with the terms of this NWP or the terms of the court decision, consent decree, or judicial/non-judicial settlement agreement or fails to complete the work by the specified completion date. This NWP does not apply to any activities occurring after the date of the decision, decree, or agreement that are not for the purpose of mitigation, restoration, or environmental benefit. Prior to reaching any settlement agreement the Corps will ensure compliance with the provisions of 33 CFR part 326 and 33 CFR 330.6 (d)(2) and (e). (Sections 10 and 404)

**33. Temporary Construction, Access and Dewatering** . Temporary structures, work and discharges, including cofferdams, necessary for construction activities or access fills or dewatering of construction sites; provided that the associated primary activity is authorized by the Corps of Engineers or the U.S. Coast Guard, or for other construction activities not subject to the Corps or U.S. Coast Guard regulations. Appropriate measures must be taken to maintain near normal downstream flows and to minimize flooding. Fill must be of materials, and placed in a manner, that will not be eroded by expected high flows. The use of dredged material may be allowed if it is determined by the District Engineer that it will not cause more than minimal adverse effects on aquatic resources. Temporary fill must be entirely removed to upland areas, or dredged material returned to its original location, following completion of the construction activity, and the affected areas must be restored to the pre-project conditions. Cofferdams cannot be used to dewater wetlands or other aquatic areas so as to change their use. Structures left in place after cofferdams are removed require a section 10 permit if located in navigable waters of the United States. (See 33 CFR part 322). The permittee must notify the District Engineer in accordance with the "Notification" general condition. The notification must also include a restoration plan of reasonable measures to avoid and minimize adverse effects to aquatic resources. The District Engineer will add special conditions, where necessary, to ensure that adverse environmental effects are minimal. Such conditions may include: Limiting the temporary work to the minimum necessary; requiring seasonal restrictions; modifying the restoration plan; and requiring

alternative construction methods (e.g., construction mats in wetlands where practicable.). (Sections 10 and 404)

**34. Cranberry Production Activities** . Discharges of dredged or fill material for dikes, berms, pumps, water control structures or leveling of cranberry beds associated with expansion, enhancement, or modification activities at existing cranberry production operations provided that the activity meets all of the following criteria:

- a. The cumulative total acreage of disturbance per cranberry production operation, including but not limited to, filling, flooding, ditching, or clearing, does not exceed 10 acres of waters of the United States, including wetlands;
- b. The permittee notifies the District Engineer in accordance with the "Notification" general condition. The notification must include a delineation of affected special aquatic sites, including wetlands; and,
- c. The activity does not result in a net loss of wetland acreage.

This NWP does not authorize any discharge of dredged or fill material related to other cranberry production activities such as warehouses, processing facilities, or parking areas. For the purposes of this NWP, the cumulative total of 10 acres will be measured over the period that this NWP is valid. (Section 404)

**35. Maintenance Dredging of Existing Basins** . Excavation and removal of accumulated sediment for maintenance of existing marina basins, access channels to marina basins or boat slips, and boat slips to previously authorized depths or controlling depths for ingress/egress, whichever is less, provided the dredged material is disposed of at an upland site and proper siltation controls are used. (Section 10)

**36. Boat Ramps** . Activities required for the construction of boat ramps provided:

- a. The discharge into waters of the United States does not exceed 50 cubic yards of concrete, rock, crushed stone or gravel into forms, or placement of pre-cast concrete planks or slabs. (Unsuitable material that causes unacceptable chemical pollution or is structurally unstable is not authorized);
- b. The boat ramp does not exceed 20 feet in width;
- c. The base material is crushed stone, gravel or other suitable material;
- d. The excavation is limited to the area necessary for site preparation and all excavated material is removed to the upland; and,
- e. No material is placed in special aquatic sites, including wetlands.

Dredging to provide access to the boat ramp may be authorized by another NWP, regional general permit, or individual permit pursuant to section 10 if located in navigable waters of the United States. (Sections 10 and 404)

**37. Emergency Watershed Protection and Rehabilitation** . Work done by or funded by the Natural Resources Conservation Service qualifying as an "exigency" situation (requiring immediate action) under its Emergency Watershed Protection Program (7 CFR part 624) and work done or funded by the Forest Service under its Burned-Area Emergency Rehabilitation Handbook (FSH 509.13) provided the District Engineer is notified in accordance with the "Notification" general condition. (Also see 33 CFR 330.1(e)). (Sections 10 and 404)

**38. Cleanup of Hazardous and Toxic Waste** . Specific activities required to effect the containment, stabilization, or removal of hazardous or toxic waste materials that are performed, ordered, or sponsored by a government agency with established legal or regulatory authority provided the permittee notifies the District Engineer in accordance with the "Notification" general condition. For discharges in special aquatic sites, including wetlands, the notification must also include a delineation of affected special aquatic sites, including wetlands. Court ordered remedial action plans or related settlements are also authorized by this NWP. This NWP does not authorize the establishment of new disposal sites or the expansion of existing sites used for the disposal of hazardous or toxic waste. Activities undertaken entirely on a CERCLA site by authority of CERCLA as approved or required by EPA, are not required to obtain permits under section 404 of the Clean Water Act or Section 10 of the Rivers and Harbors Act. (Sections 10 and 404)

**39. Reserved.**

**40. Farm Buildings** . Discharges of dredged or fill material into jurisdictional wetlands (but not including prairie potholes, playa lakes, or vernal pools) that were in agricultural crop production prior to December 23, 1985, i.e., farmed wetlands, for foundations and building pads for farm buildings. The discharge will be limited to the minimum necessary but will in no case exceed 1 acre (see the "Mitigation" Section 404 only condition). The permittee must notify the District Engineer in accordance with the "Notification" general condition for any farm building within 500 linear feet of any flowing water. (Section 404)

## **C. Nationwide Permit Conditions**

### **General Conditions**

The following general conditions must be followed in order for any authorization by a NWP to be valid:

1. Navigation: No activity may cause more than a minimal adverse effect on navigation.
2. Proper Maintenance: Any structure or fill authorized shall be properly maintained, including maintenance to ensure public safety.

3. Erosion and Siltation Controls: Appropriate erosion and siltation controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date.

4. Aquatic Life Movements: No activity may substantially disrupt the movement of those species of aquatic life indigenous to the waterbody, including those species which normally migrate through the area, unless the activity's primary purpose is to impound water.

5. Equipment: Heavy equipment working in wetlands must be placed on mats, or other measures must be taken to minimize soil disturbance.

6. Regional and Case-by-Case Conditions: The activity must comply with any regional conditions which may have been added by the Division Engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the state or tribe in its section 401 water quality certification.

7. Wild and Scenic Rivers: No activity may occur in a component of the National Wild and Scenic River System; or in a river officially designated by Congress as a "study river" for possible inclusion in the system, while the river is in an official study status; unless the appropriate Federal agency, with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely effect the Wild and Scenic River designation, or study status. Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency in the area (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service.)

8. Tribal Rights: No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

9. Water Quality Certification: In certain states, an individual Section 401 water quality certification must be obtained or waived (see 33 CFR 330.4(c)).

10. Coastal Zone Management: In certain states, an individual state coastal zone management consistency concurrence must be obtained or waived (see Section 330.4(d)).

11. Endangered Species: (a) No activity is authorized under any NWP which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act, or which is likely to destroy or adversely modify the critical habitat of such species. Non-federal permittees shall notify the District Engineer if any listed species or critical habitat might be affected or is in the vicinity of the project, and shall not begin work on the activity until notified by the District Engineer

that the requirements of the Endangered Species Act have been satisfied and that the activity is authorized.

(b) Authorization of an activity by a nationwide permit does not authorize the "take" of a threatened or endangered species as defined under the Federal Endangered Species Act. In the absence of separate authorization (e.g., an ESA section 10 Permit, a Biological Opinion with "incidental take" provisions, etc.) from the U.S. Fish and Wildlife Service or the National Marine Fisheries Service, both lethal and non-lethal "takes" of protected species are in violation of the Endangered Species Act. Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the U.S. Fish and Wildlife Service and National Marine Fisheries Service or their world wide web pages at <http://www.fws.gov/endspp/endspp.html> and [http://kingfish.spp.mnfs.gov/tmcintyr/prot\\_res.html#ES](http://kingfish.spp.mnfs.gov/tmcintyr/prot_res.html#ES) and Recovery, respectively.

12. Historic Properties: No activity which may affect historic properties listed, or eligible for listing, in the National Register of Historic Places is authorized, until the DE has complied with the provisions of 33 CFR part 325, appendix C. The prospective permittee must notify the District Engineer if the authorized activity may affect any historic properties listed, determined to be eligible, or which the prospective permittee has reason to believe may be eligible for listing on the National Register of Historic Places, and shall not begin the activity until notified by the District Engineer that the requirements of the National Historic Preservation Act have been satisfied and that the activity is authorized. Information on the location and existence of historic resources can be obtained from the State Historic Preservation Office and the National Register of Historic Places (see 33 CFR 330.4(g)).

13. Notification:

(a) Timing: Where required by the terms of the NWP, the prospective permittee must notify the District Engineer with a Pre-Construction Notification (PCN) as early as possible and shall not begin the activity:

- (1) Until notified by the District Engineer that the activity may proceed under the NWP with any special conditions imposed by the District or Division Engineer; or
- (2) If notified by the District or Division Engineer that an individual permit is required; or
- (3) Unless 30 days (or 45 days for NWP 26 only) have passed from the District Engineer's receipt of the notification and the prospective permittee has not received notice from the District or Division Engineer. Subsequently, the permittee's right to proceed under the NWP may be modified, suspended, or revoked only in accordance with the procedure set forth in 33 CFR 330.5(d)(2).

(b) Contents of Notification: The notification must be in writing and include the following information:

(1) Name, address and telephone numbers of the prospective permittee;

(2) Location of the proposed project;

(3) Brief description of the proposed project; the project's purpose; direct and indirect adverse environmental effects the project would cause; any other NWP(s), regional general permit(s) or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity; and

(4) For NWPs 14, 18, 21, 26, 29, 34, and 38, the PCN must also include a delineation of affected special aquatic sites, including wetlands (see paragraph 13(f));

(5) For NWP 21--Surface Coal Mining Activities, the PCN must include an OSM or state approved mitigation plan.

(6) For NWP 29--Single-Family Housing, the PCN must also include:

(i) Any past use of this NWP by the individual permittee and/or the permittee's spouse;

(ii) A statement that the single-family housing activity is for a personal residence of the permittee;

(iii) A description of the entire parcel, including its size, and a delineation of wetlands. For the purpose of this NWP, parcels of land measuring 0.5 acre or less will not require a formal on-site delineation. However, the applicant shall provide an indication of where the wetlands are and the amount of wetlands that exists on the property. For parcels greater than 0.5 acre in size, a formal wetland delineation must be prepared in accordance with the current method required by the Corps. (See paragraph 13(f));

(iv) A written description of all land (including, if available, legal descriptions) owned by the prospective permittee and/or the prospective permittee's spouse, within a one mile radius of the parcel, in any form of ownership (including any land owned as a partner, corporation, joint tenant, co-tenant, or as a tenant-by-the-entirety) and any land on which a purchase and sale agreement or other contract for sale or purchase has been executed;

(7) For NWP 31--Maintenance of Existing Flood Control Projects, the prospective permittee must either notify the District Engineer with a Pre-Construction Notification (PCN) prior to each maintenance activity or submit a five year (or less) maintenance plan. In addition, the PCN must include all of the following:

(i) Sufficient baseline information so as to identify the approved channel depths and configurations and existing facilities. Minor deviations are authorized, provided that the approved flood control protection or drainage is not increased;

(ii) A delineation of any affected special aquatic sites, including wetlands; and,

(iii) Location of the dredged material disposal site.

(8) For NWP 33--Temporary Construction, Access, and Dewatering, the PCN must also include a restoration plan of reasonable measures to avoid and minimize adverse effects to aquatic resources.

(c) Form of Notification: The standard individual permit application form (Form ENG 4345) may be used as the notification but must clearly indicate that it is a PCN and must include all of the information required in (b) (1)-(7) of General Condition 13. A letter may also be used.

(d) District Engineer's Decision: In reviewing the pre-construction notification for the proposed activity, the District Engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. The prospective permittee may, optionally, submit a proposed mitigation plan with the pre-construction notification to expedite the process and the District Engineer will consider any optional mitigation the applicant has included in the proposal in determining whether the net adverse environmental effects of the proposed work are minimal. If the District Engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse effects are minimal, the District Engineer will notify the permittee and include any conditions the DE deems necessary.

Any mitigation proposal must be approved by the District Engineer prior to commencing work. If the prospective permittee elects to submit a mitigation plan, the District Engineer will expeditiously review the proposed mitigation plan, but will not commence a second 30-day (or 45-day for NWP 26) notification procedure. If the net adverse effects of the project (with the mitigation proposal) are determined by the District Engineer to be minimal, the District Engineer will provide a timely written response to the applicant stating that the project can proceed under the terms and conditions of the nationwide permit.

If the District Engineer determines that the adverse effects of the proposed work are more than minimal, then he will notify the applicant either: (1) That the project does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an individual permit; (2) that the project is authorized under the NWP subject to the applicant's submitting a mitigation proposal that would reduce the adverse effects to the minimal level; or (3) that the project is authorized under the NWP with specific modifications or conditions.

(e) Agency Coordination: The District Engineer will consider any comments from Federal and State agencies concerning the proposed activity's compliance with the terms and

conditions of the NWP's and the need for mitigation to reduce the project's adverse environmental effects to a minimal level.

(i) For NWP 14, 21, 26 (between 1 and 3 acres of impact) , 29, 33, 37, and 38. The District Engineer will, upon receipt of a notification, provide immediately, e.g., facsimile transmission, overnight mail or other expeditious manner, a copy to the appropriate offices of the Fish and Wildlife Service, State natural resource or water quality agency, EPA, State Historic Preservation Officer (SHPO), and, if appropriate, the National Marine Fisheries Service. With the exception of NWP 37, these agencies will then have 5 calendar days from the date the material is transmitted to telephone or fax the District Engineer notice that they intend to provide substantive, site-specific comments. If so contacted by an agency, the District Engineer will wait an additional 10 calendar days (16 calendar days for NWP 26 PCNs) before making a decision on the notification. The District Engineer will fully consider agency comments received within the specified time frame, but will provide no response to the resource agency. The District Engineer will indicate in the administrative record associated with each notification that the resource agencies' concerns were considered. Applicants are encouraged to provide the Corps multiple copies of notifications to expedite agency notification.

(ii) Optional Agency Coordination. For NWP's 5, 7, 12, 13, 17, 18, 27, 31, and 34, where a Regional Administrator of EPA, a Regional Director of USFWS, or a Regional Director of NMFS has formally requested general notification from the District Engineer for the activities covered by any of these NWP's, the Corps will provide the requesting agency with notification on the particular NWP's. However, where the agencies have a record of not generally submitting substantive comments on activities covered by any of these NWP's, the Corps district may discontinue providing notification to those regional agency offices. The District Engineer will coordinate with the resources agencies to identify which activities involving a PCN that the agencies will provide substantive comments to the Corps. The District Engineer may also request comments from the agencies on a case by case basis when the District Engineer determines that such comments would assist the Corps in reaching a decision whether effects are more than minimal either individually or cumulatively.

(iii) Optional Agency Coordination, 401 Denial. For NWP 26 only, where the state has denied its 401 water quality certification for activities with less than 1 acre of wetland impact, the EPA regional administrator may request agency coordination of PCNs between 1/3 and 1 acre. The request may only include acreage limitations within the 1/3 to 1 acre range for which the state has denied water quality certification. In cases where the EPA has requested coordination of projects as described here, the Corps will forward the PCN to EPA

only. The PCN will then be forwarded to the Fish and Wildlife Service and the National Marine Fisheries Service by EPA under agreements among those agencies. Any agency receiving the PCN will be bound by the EPA timeframes for providing comments to the Corps.

(f) Wetlands Delineations: Wetland delineations must be prepared in accordance with the current method required by the Corps. For NWP 29 see paragraph (b)(6)(iii) for parcels less than 0.5 acres in size. The permittee may ask the Corps to delineate the special aquatic site. There may be some delay if the Corps does the delineation. Furthermore, the 30-day period (45 days for NWP 26) will not start until the wetland delineation has been completed and submitted to the Corps, where appropriate.

(g) Mitigation: Factors that the District Engineer will consider when determining the acceptability of appropriate and practicable mitigation include, but are not limited to:

(i) To be practicable, the mitigation must be available and capable of being done considering costs, existing technology, and logistics in light of the overall project purposes;

(ii) To the extent appropriate, permittees should consider mitigation banking and other forms of mitigation including contributions to wetland trust funds, "in lieu fees" to organizations such as The Nature Conservancy, state or county natural resource management agencies, where such fees contribute to the restoration, creation, replacement, enhancement, or preservation of wetlands. Furthermore, examples of mitigation that may be appropriate and practicable include but are not limited to: Reducing the size of the project; establishing wetland or upland buffer zones to protect aquatic resource values; and replacing the loss of aquatic resource values by creating, restoring, and enhancing similar functions and values. In addition, mitigation must address wetland impacts, such as functions and values, and cannot be simply used to offset the acreage of wetland losses that would occur in order to meet the acreage limits of some of the NWPs (e.g., for NWP 26, 5 acres of wetlands cannot be created to change a 6-acre loss of wetlands to a 1 acre loss; however, 2 created acres can be used to reduce the impacts of a 3-acre loss.).

14. Compliance Certification: Every permittee who has received a Nationwide permit verification from the Corps will submit a signed certification regarding the completed work and any required mitigation. The certification will be forwarded by the Corps with the authorization letter and will include: a. A statement that the authorized work was done in accordance with the Corps authorization, including any general or specific conditions; b. A statement that any required mitigation was completed in accordance with the permit conditions; c. The signature of the permittee certifying the completion of the work and mitigation.

15. Multiple Use of Nationwide Permits: In any case where any NWP number 12 through 40 is combined with any other NWP number 12 through 40, as part of a single and complete project, the permittee must notify the District Engineer in accordance with paragraphs a, b, and c on the "Notification" General Condition number 13. Any NWP number 1 through 11 may be combined with any other NWP without notification to the Corps, unless notification is otherwise required by the terms of the NWPs. As provided at 33 CFR 330.6(c) two or more different NWPs can be combined to authorize a single and complete project. However, the same NWP cannot be used more than once for a single and complete project.

### **Section 404 Only Conditions**

In addition to the General Conditions, the following conditions apply only to activities that involve the discharge of dredged or fill material into waters of the U.S., and must be followed in order for authorization by the NWPs to be valid:

1. Water Supply Intakes: No discharge of dredged or fill material may occur in the proximity of a public water supply intake except where the discharge is for repair of the public water supply intake structures or adjacent bank stabilization.

2. Shellfish Production: No discharge of dredged or fill material may occur in areas of concentrated shellfish production, unless the discharge is directly related to a shellfish harvesting activity authorized by NWP 4.

3. Suitable Material: No discharge of dredged or fill material may consist of unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.,) and material discharged must be free from toxic pollutants in toxic amounts (see section 307 of the Clean Water Act).

4. Mitigation: Discharges of dredged or fill material into waters of the United States must be minimized or avoided to the maximum extent practicable at the project site (i.e., on-site), unless the District Engineer approves a compensation plan that the District Engineer determines is more beneficial to the environment than on-site minimization or avoidance measures.

5. Spawning Areas: Discharges in spawning areas during spawning seasons must be avoided to the maximum extent practicable.

6. Obstruction of High Flows: To the maximum extent practicable, discharges must not permanently restrict or impede the passage of normal or expected high flows or cause the relocation of the water (unless the primary purpose of the fill is to impound waters).

7. Adverse Effects From Impoundments: If the discharge creates an impoundment of water, adverse effects on the aquatic system caused by the accelerated passage of water and/or the restriction of its flow shall be minimized to the maximum extent practicable.

8. Waterfowl Breeding Areas: Discharges into breeding areas for migratory waterfowl must be avoided to the maximum extent practicable.

9. Removal of Temporary Fills: Any temporary fills must be removed in their entirety and the affected areas returned to their preexisting elevation.